Safety Data Sheet

Revision:08/21/2015



Page 1

Printing date: 08/24/2015

1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- . Trade Name: MP 600 Multi-Purpose TuffPatch Part A
- Application of the substance/the preparation: Modified Epoxy Resin
- 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Tuff Industrial Products, Inc.
 2120 Roberts Dr.
 Broadview, IL 60155 USA
 Tel (800) 475-0068
- 1.4 Emergency contact: CHEMTREC® (800) 424-9300

2 Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS07

Acute Toxicity, Oral 4; H302: Harmful is swallowed Acute Toxicity, Dermal 4; H312: Harmful in contact with skin Skin Irrit. 2; H315: Causes skin irritation. Eye Irrit. 2; H319: Causes serious eye irritation. Skin Sens. 1; H317: May cause an allergic skin reaction

GHS09 environment

Aquatic Chronic 2; H411: Toxic to aquatic life with long lasting effects.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant R36/38: Irritating to eyes and skin
Xi; Sensitising R43: May cause sensitisation by skin contact.
Xn; Harmful R22: Harmful R22: Harmful if swallowed.
N; Dangerous for the environment R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Information concerning particular hazards for human and environment: The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

data.

Printing date: 08/24/2015

Classification system:

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 1) The classification is according to the latest editions of the EU-lists, and extended by company and literature The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

Labeling according to Regulation (EC) No 1272/2008: The product is classified and labeled according to the CLP regulation.

Hazard pictograms

2.2 Label elements

This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).



GHS07 GHS09

Signalword: Danger Warning

Hazard-determining components of labeling: Bisphenol A, Epichlorohydrin resin 2-ethyl hexyl Glycidyl Ether Reaction Product: Bisphenol F / Epichlorohydrin / co-Formaldehyde formaldehyde

1-chloro-2,3-epoxypropane

Hazard statements:

- H302 Harmful if swallowed
- H312: Harmful in contact with skin
- H315: Causes skin irritation

H317: May cause an allergic skin reaction

H319: Causes serious eye irritation

H412: Harmful to aquatic life with long lasting effects.

Contains epoxy constituents. May produce an allergic reaction.

0 percent of the mixture consists of ingredient(s) of unknown toxicity.

Precautionary statements:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling

P270: Do no eat, drink or smoke when using this product.

P271: Use only in a wel ventilated area

P272: Contaminated work clothing should not be allowed out of the workplace

- P273: Avoid release to the environment.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P321: Specific treatment (see on this label).
- P362: Take off contaminated clothing and wash before reuse.

P363: Wash contaminated clothing before reuse

P391: Collect spillage

P501: Dispose of contents/container in accordance with local/regional/national/international regulations **Response statements:**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.


P337+P313: If eye irritation persists: Get medical advice/attention.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

Printing date: 08/24/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 2)



Safety Data Sheet

Revision:08/21/2015

Printing date: 08/24/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 3)

CAS: 106 00 0	1-chloro-2,3-epoxypropane	
CAS: 106-89-8 EINECS: 203-439-8 Index number: 603-026-00-6	 T Carc. Cat. 2 R45-23/24/25; C R34; Xi R43 Flam. Liq. 3, H226 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Carc. 1B, H350 Skin Corr. 1B, H314 Skin Sens. 1, H317 	25 -30%
CAS: 25068-38-6	Bisphenol A , Epichlorohydrin resin Xi R21/22 R36 R38 Skin Irrit. 2, H315; Skin Sens. 1, H317 Acute Tox. 3, H302	15 -20%
CAS: 2461-15-6 EINECS: 219-553-6	2-ethyl hexyl Glycidyl Ether Xi R38/43 Skin Irrit. 2, H315; Skin Sens. 1, H317	15 - 20%

4 First aid measures 4.1 Description of first aid measures · General information: Take affected persons out of danger area and lay down. After inhalation: Rescuers should put on appropriate protective gear. Remove from area of exposure. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation. After skin contact: Immediately wash with water and soap and rinse thoroughly. Immediately remove any clothing soiled by the product. Get medical attention if irritation develops or persists. Launder contaminated clothing before re-use After eye contact: Remove contact lenses if worn. Immediately flush eyes with water Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids Rinse opened eye for several minutes under running water. Then consult a doctor After swallowing: Rinse out mouth. Do not give liquids. Do not induce vomiting; call for medical help immediately

Printing date: 08/24/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 4)

skin reaction and even dermatitis with long term ex Allergic reactions Nausea Cramp Breathing difficulty Chronic: Prolonged or repeated skin contact may of Hazards:	piratory tract and skin. Product may cause an allergic cposure. cause allergic reaction or dermatitis ted by exposure to this product. Danger of severe eye tion and special treatment
Treat symptoms and reduce over-exposure.	
but will burn once ignited 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Incipient fire responders should wear eye protection Breathing Apparatus and full protective equipment. protect personnel. Move containers from fire area if	ding conditions. Carbon Dioxide, Dry Chemical, estone Powder ixture: in case of fire. This product is not considered a fire hazard n. Structural firefighters must wear Self-Contained Isolate materials not yet involved in the fire and

Printing date: 08/244/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 5)

6 Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures
Personnel should be trained for spill response operations.
Remove persons from danger area.
Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment.
Keep unprotected persons away.
Ensure adequate ventilation
6.2 Environmental precautions: All work practices must be aimed at eliminating environmental contamination. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Soak up with a non-combustible absorbent material and place in

- into drains, sewers, and other waterways. Soak up with a non-combustible absorbent material and place in an appropriate container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).
- 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists generated by this product. Remove contaminted clothing immediately.

Prevent formation of aerosols.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store between 10° and 50°C (45°-125°F) and avoid contact with skin and eyes. Do not store near acids or amines. Ground all transfer equipment. Good general housekeeping procedures should be followed. Store away from oxidizing agents. Prevent formation of aerosols. Do mot eat, drink or smoke while using material.

· 7.3 Specific end use(s): No further relevant information available

Printing date: 08/24/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 6)

8 Exposure Controls/Personal Protection

· Additional information about design of technical facilities:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: Curently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

- [•] 8.2 Exposure controls
- Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.



Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Protection of hands: Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S OSHA 29 CFR 1910.138 or appropriate Standards of Canada



Protective gloves

• Material of gloves

Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed

Safety Data Sheet

Revision:08/21/2015

Printing date: 08/24/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 7)

Eye protection:

Tightly sealed goggles

Safety glasses or chemical goggles as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards

Body Protection:



Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards

9 Physical and Chemical Properties

· 9.1 Information on basic physical and chemical properties

Appearance:	
Form:	Liquid
Color:	Water white-pale straw colored liquid
Odor:	Distinctive sweet odor
Odor threshold:	Mild
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined
Boiling point/Boiling range:	392°F (200°C)
Flash point:	>200°F (>94°C)
Flammability (solid, gaseous):	Not applicable
Ignition temperature:	>150°C (> 302 °F)
Decomposition temperature:	Not determined.
Self-igniting:	Not determined
Danger of explosion:	None known, handle as a combustible liquid
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	<4 mmHg @25°C
Density at 20°C:	1.162 g/cm³
Relative density:	Not determined
Vapour density:	7.7 pounds per gallon @25°C
Evaporation rate	Not determined

Printing date: 08/24/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 8)

Solubility in / Miscibility with water: Specific Gravity 20oC: (Water = 1):	Miscible No data available
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	13000 mPas
Dynamic @ 20°C:	No data available
Kinematic: Solvent content:	No data available
Organic solvents:	No data available
VOC (EC)	No data available

• 9.2 Other information: No further relevant information available

10 Stability and Reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- [·] Thermal decomposition / conditions to be avoided:

When heated to decomposition this product produces noxious gases such CO, CO₂, NO_x, amines, ammonia and others

- 10.3 Possibility of hazardous reactions
 Reacts with peroxides and other radical forming substances.
 Reacts with oxidizing agents.
 Reacts with amines.
 Exothermic polymerization
- **10.4 Conditions to avoid:** Contact with incompatible materials.
- · 10.5 Incompatible materials: Oxidizing agents and amines. Avoid excess heat and sources of ignition
- 10.6 Hazardous decomposition products:

Nitrogen oxides (NOx) Carbon monoxide and carbon dioxide

Printing date: 08/24/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 9)

11 Toxicological Information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

LD50 Acute Dermal 2,500 mg/kg (rabbit)

- LD50 Acute Oral 2,450 mg/kg (rat)
- · Primary irritant effect:
- · On the skin: Causes skin irritation. May cause skin sensitization, an allergic reaction, which
- becomes evident on reexposure to this material. Harmful if absorbed through skin.
- On the eye: Irritant to eyes

· Sensitization:

Sensitization possible through skin contact.

Sensitizing effect through inhalation is possible by prolonged exposure.

Additional toxicological information:

None of the ingredients are found on the following lists: FEDERAL OSHA X LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer causing agent by these agencies.

• **Reproductive Toxicity Information:** No information concerning the effects of this product and its components on the human reproductive system.

12 Ecological Information

· 12.1 Toxicity

• Aquatic toxicity:

The product contains materials that are harmful and may cause long term damage to the environment.

Daphnia Magna EC50 10 mg/l

- 12.2 Persistence and degradability: Moderately /partly biodegradable
- **12.3 Bioaccumulative potential:** No further relevant information available.
- · 12.4 Mobility in soil: No evidence is currently available on this products effects on plants or animals
- · Ecotoxical effects: Harmful to aquatic organisims
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

· 12.6 Other adverse effects: No further relevant information available

Printing date: 08/24/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 10)

13 Disposal Considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations Waste disposal must be in accordance with appropriate Federal. State, and local regulations, those of

Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- . Recommended cleansing agents: Water, if necessary together with cleansing agents. RCRA Waste Code: Disposal must be made according to official regulations.
- EU Waste Code: Solvent naphtha

14.1 UN-Number	
DOT, IMDG, IATA	Not Regulated.
ADR	Not Regulated.
14.2 UN proper shipping name	
DOT, IMDG, IATA	Not Regulated.
ADR	Not Regulated.
14.3 Transport hazard class(es) DOT, ADR, IMDG, IATA	Not Regulated.
14.4 Packing group DOT, ADR, IMDG, IATA	Not Regulated.
14.5 Environmental hazards: Marine pollutant:	This product does not contain ingredients that are classified by the DOTas a Marine Pollutant (as defined by 49 CFR 172.101. Appendix B)
14.6 Special precautions for user	
Danger code (Kemler):	Not Regulated.
EMS Number:	Not Regulated.
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
Transport/Additional information:	No data available
Tunnel restriction code UN "Model Regulation":	No data available

Printing date: 08/24/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 11)

15 Regulatory Information

. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA)

SARA:

Section 355 (extremely hazardous substances): Substance is not listed.

Section 313 (Specific toxic chemical listings): Substance is not listed.

TSCA (Toxic Substances Control Act): All ingredients are listed.

• Proposition 65 (California):

Chemicals known to cause cancer or reproductive harm:

Chemicals known to cause cancer:

50-00-0 formaldehyde

106-89-8 1-chloro-2,3-epoxypropane

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. Chemicals known to cause reproductive toxicity for males: 106-89-8 1-chloro-2,3-epoxypropane.

Chemicals known to cause developmental toxicity: None of the ingredients are listed.

· Carcinogenic Categories

EPA (Environmental Protection Agency): None of the ingredients is listed.

IARC (International Agency for Research on Cancer): Formaldehyde 50-00-0

TLV (Threshold Limit Value established by ACGIH): None of the ingredients is listed.

NIOSH-Ca(National Institute for Occupational Safety and Health): None of the ingredients is listed. OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients is listed.

New Jersey Right-To-Know:

The following materials are non-hazardous, but are among the top five components in this product No NJ Right-To-Know components exist in this product

· Pennsylvania Right-To-Know:

The following non-hazardous ingredients are present in the product are at or greater than 3%. No PA Right-To-Know components exist in this product

· Canada

Canadian Domestic Substances List (DSL): All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%):

50-00-0 formaldehyde

106-89-8 1-chloro-2,3-epoxypropane

Canadian Ingredient Disclosure list (limit 1%): None of the ingredients are listed

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date: 08/24/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part A

(Cont. from page 12)

16 Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

[.] Relevant phrases

- H302: Harmful if swallowed.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H411: Toxic to aquatic life with long lasting effects
- H412: Harmful to aquatic life with long lasting effects
- R38: Irritationg to eyes
- R43: May cause sensitization by skin contact

[•] Abbreviations and Acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- WHMIS: Workplace Hazardous Materials Information System (Canada)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.

Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk of his use of the material for either Component A and/or B or the combination of both components

Tuff Industrial Products is a registered Trademark of Tuff Industrial Products, Inc.. Complies with Federal StandardNo. 29 CFR 1910.1200



Page 1

Printing date: 10/05/2015

1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: MP 600 Multi-Purpose TuffPatch Part B

- Application of the substance / the preparation: Blended epoxy curing agent
- 1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: Tuff Industrial Products, Inc. 2120 Roberts Dr. Broadview, IL 60155 USA Tel (800) 475-0068

1.4 Emergency contact: CHEMTREC® (800) 424-9300

2 Hazards identification

	assification of the substance or mixture fication according to Regulation (EC) No 1272/2008:
	GHS08 health hazard
V	Repr. 2; H361f: Suspected of damaging fertility.
FR	GHS05 corrosion Skin Corr. 1B; H314: Causes severe skin burns and eye damage.
\checkmark	Skin Corr. 1; H317: May cause an allergic skin reaction
¥2	GHS09 environment
$\overline{}$	Aquatic Chronic 3; H412: Harmful to aquatic life with long lasting effects.
\wedge	GHS07
1	Acute Tox. 4; H302: Harmful if swallowed.
	Acute Tox. 4; H332: Harmful if inhaled. Skin Sens. 1; H317: May cause an allergic skin reaction.
	STOT SE 3; H335: May cause respiratory irritation
lass	ification according to Directive 67/548/EEC or Directive 1999/45/EC
5	C; Corrosive
	R34: Causes burns.
to	N; Dangerous for the environment
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
×	Xn; Harmful
	R20/22: Harmful by inhalation and if swallowed
X	Xi; Sensitizing R43: May cause sensitization by skin contact.
~	Xi; Irritant
A	R37: Irritating to respiratory system
Infor	mation concerning particular hazards for human and environment:
The p	product has to be labeled due to the calculation procedure of the "General Classification guideline for arations of the EU" in the latest valid version.

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

(Cont. from page 1)

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

2.2 Label elements

Labeling according to Regulation (EC) No 1272/2008:

The product is classified and labeled according to the CLP regulation.

· Hazard pictograms

GHS05

This pictogram only applicable for EU regulations. Not for use in the United States (OSHAGHS).



GHS07





· Signalword: Danger Warning Hazard-determining components of labeling: Polvamido Amine 2,2'-iminodiethylamine bisphenol A 3.6.9-triazaundecamethylenediamine 2,2'-iminodi(ethylamine) (DETA) Phenol 4,4'-(1-methylethylidene) bis 2-ethyl hexyl Glycidyl Ether n-Aminoethylpiperazine Hazard statements: H302+H332: Harmful if swallowed or inhaled H312: Harmful in contact with skin H314: Causes severe skin burns and eye damage H315: Causes skin irritation H317: May cause an allergic skin reaction H318: Causes serious eye damage H335: May cause respiratory irritation H361f: Suspected of damaging fertility H412: Harmful to aquatic life with long lasting effects. Contains Polyamido Amine, 3,6,9-triazaundecamethylenediamine, 2-piperazin-1-ylethylamine, bisphenol A, 2,2'-iminodiethylamine. May produce an allergic reaction. Precautionary statements: P202: Do not handle until all safety precautions have been read and understood. P201: Obtain special instructions before use. P260: Do not breathe dust/fume/gas/mist/vapours/spray. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product P271: Use only in wll ventilated area

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

(Cont. from page 2)

P273: Avoid release to the environment P280: Wear protective gloves/protective clothing/eye protection/face protection. P281: Use personal protective equipment as required. Response Statements P235+ P403: Store in a well-ventilated place. Keep container tightly closed. P301+P312+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell P302+P303+P361+P352+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313: IF exposed or concerned: Get medical advice/attention P310: Immediately call a POISON CENTER or doctor/physician. P312: Call a POISON CENTER or doctor/physician if you feel unwell. P313+P333: If skin irritation or rash occurs: Get medical advice/attention. P321: Specific treatment (see on this label). P330: Rinse mouth. P391: Collect spillage. P405: Store locked up. P501: Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard description: WHMIS-symbols: D2A - Very toxic material causing other toxic effects D2B - Toxic material causing other toxic effects E - Corrosive material Canadian WHMIS Classification: This product is categorized as a Class D Division 2A, Class D Division 2B Materials causing other toxic effects, Class E Corrosive as per the Controlled Product Regulations HMIS-ratings (scale 0-4) NFPA ratings (scale 0 - 4) Health = 3 HEALTH 3 Health = 3 Fire = 1 Fire = 1 FIRE Reactivity = 0 Reactivity = 0 **REACTIVITY 0** 2.3 Other hazards No known

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

(Cont. from page 3)

3 Composition/Information on Ingredients

3.2Mixture

Description: Mixture of substances listed below .

CAS: 111-40-0 EINECS: 203-865-4	2,2'-iminodiethylamine C R34; Xn R21/22; Xi R43 Skin Corr. 1B, H314 ↓ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	>70%
CAS: 80-05-7 EINECS: 201-245-8	bisphenol A Xn R62; Xi R37-41; Xi R43 R52 Repr. Cat. 3 Repr. 2, H361f Eye Dam. 1, H318 Skin Sens. 1, H317; STOT SE 3, H335	>5%
CAS: 140-31-8 EINECS: 205-411-0	2-piperazin-1-ylethylamine C R34; Xn R21/22; Xi R43 N R52/53 Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317 Aquatic Chronic 3, H412	>20%
CAS: 112-57-2 EINECS: 203-986-2	3,6,9-triazaundecamethylenediamine C R34; Xn R21/22; Xi R43 N R51/53 Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317 Aquatic Chronic 2, H411	>10%
CAS: 68953-36-6 EINECS: 273-201-6	Polyamido Amine Xn R20/22; Xi R36/37/38; Xi R43 Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	>10%
CAS: 2461-15-6 EINECS: 219-553-6	2-ethyl hexyl Glycidyl Ether Xi R38/43 Skin Irrit. 2, H315; Skin Sens. 1, H317	>20%
CAS: 80-05-7 EINECS: 201-245-8	 Phenol, 4,4'-(1 -methylethylidene) bis Xi R37; Xi R41; Xi R43; Xn R52 Repr. Cat. 3 Resp Irrit 3, H335; Eye Dam. 1, H318; Skin Sens. 1, H3171 Acute Aquatic 3, H402 	>20%

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

(Cont. from page 4)

4 First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

If breathing becomes difficult supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation

After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. Remove contaminated clothing. Launder contaminated clothing before re-use.

After eye contact:

If product enters eyes, remove contact lenses if worn, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation developes.

After swallowing:

If product is swallowed, call physician or poison control center for most current information. If professional advice is nor available, DO NOT induce vomiting. Never induce vomiting or give diluents to someone who is unconscious, having convulsions or who cannot swallow. Seek medical advice. Take a copy of label and/or SDS with victim to health professional.

4.2 Most important symptoms and effects, both acute and delayed

Acute: This material may cause severe irritation or burns to skin and eyes. Harmful if swallowed. Product may cause an allergic skin reaction.Harmful if inhaled and may cause delayed lung injury. Symptoms of overexposure may include:

Headache

Vomiting

Dizziness

Breathing difficulty

Gastric or intestinal disorders.

Caustic effect on skin and mucous membranes.

Chronic: Prolonged or repeated skin contact or inhalation may cause allergic reaction or respiratory sensitization in humans

Hazards:

Pre-existing skin or respiratory system problems may be aggravated by exposure to this product.

Danger of severe eye injury.

 ${\sf Danger} of impaired breathing.$

Dangerofpulmonary edema.

 $Condition may \ deteriorate \ with \ alcohol \ consumption.$

4.3 Indications of any immediate medical attention and special treatment

Treat skin and mucous membrane with antihistamine and corticoid preparations. Monitor circulation Treat symptoms and recusce over-exposure.

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

(Cont. from page 5)

5 Firefighting Measures

 5.1 Extinguishing media Suitable extinguishing agents: Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. Carbon dioxide, foam, dry chemical, halon, water spray, sand, limestone powder.
 5.2 Special hazards arising from the substance or mixture:

- 5.2 Special hazards arising from the substance or mixture: Formation of toxic gases is possible during heating or in case of fire. This product is flammable above flash point indicated above
- 5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

6 Accidental Release Measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Personnel should be trained for spill response operations.

Remove persons from danger area.

Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- **6.2 Environmental precautions:** All work practices must be aimed at eliminating environmental contamination. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Contain spill if safe to do so. Prevent entry
 into drains, sewers, and other waterways. Soak up with a non-combustible absorbent material and place in
 an appropriate container for disposal. Dispose of in accordance with applicable Federal, State, and local
 procedures (see Section 13, Disposal Considerations).
- 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

(Cont. from page 6)

7 Handling and Storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists generated by this product. Remove contaminted clothing immediately

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store between 5 and 50°C and avoid contact with skin and eyes. Do not store near acids or amines. Ground all transfer equipment. Hold bulk storage under a nitrogen blanket. This product should not come in contact with copper or copper-bearing alloys. Containers of this product must be properly labeled. Do not eat, drink or smoke while using material.

• 7.3 Specific end use(s): No information

8 Exposure Controls/Personal Protection

Additional information about design of technical facilities:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

111-40-0 2,2'-im	inodiethylamine	
REL (USA)	4 mg/m³, 1 ppm Skin	
TLV (USA)	4,2 mg/m³, 1 ppm Skin	
EL (Canada)	1 ppm Skin; S	
EV (Canada)	4 mg/m³, 1 ppm Skin	
112-57-2 3,6,9-triazaundecamethylenediamine		
WEEL (USA)	5 mg/m³ Skin; DSEN	

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

(Cont. from page 7)

[•] 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/ eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when aerosol or mist is formed.

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states

• Protection of hands: Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S.

OSHA 29 CFR 1910.138 or appropriate Standards of Canada



Protective gloves

Material of gloves

Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed
- Eye protection:



Tightly sealed goggles

Safety glasses or chemical goggles as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards

Body Protection:

Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards

(Cont. from page 8)

Revision: 09/25/2015

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

9.1 Information on basic physical and cher	mical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Water white-pale straw colored liquid
Odor:	Ammoniacal-amine odor
Odor threshold:	Mild
pH-value:	Alkaline
Change in condition	
Freezing Point:	Not Available
Boiling point/Boiling range:	469°F (>243°C)
Flash point:	217°F (103 °C)
Flammability (solid, gaseous):	No data available
Ignition temperature:	315°C (599 °F)
Decomposition temperature:	No data available
Self-igniting:	No data available
Danger of explosion:	This product is flammable above flash point indicated above
Explosion limits:	
Lower:	1.9%
Upper:	11.6%
Vapour Pressure (mmHg):	<1 mmHg @ 20°C
Density at 25°C:.	8.4 pounds per gallon @ 25°C
Relative density	Not determined.
Vapour density	7.7pounds per gallon @25°C
Evaporation rate	No data available
Solubility in / Miscibility with water:	Fully miscible
Specific Gravity 20oC: (Water = 1):	No data available
Partition coefficient (n-octanol/water):	Not determined
Viscosity:	
Dynamic:	No data available No data available
Kinematic: Solvent content:	
Organic solvents:	No data available
VOC (EC)	No data available

(Cont. on page 10)

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

(Cont. from page 9)

10 Stability and Reactivity

· 10.1 Reactivity

- ¹ 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- When heated to decomposition this product produces noxious gases such CO, CO₂, NO_x, amines, ammonia and others
- ·10.3 Possibility of hazardous reactions

Reacts with peroxides and other radical forming substances. Reacts with oxidizing agents.

Reacts with acids.

- •10.4 Conditions to avoid: Contact with incompatible materials.
- **10.5 Incompatible materials:** Oxidizing agents and isocyanates and polyurethanes should be avoided as these will cause exothermic polymerization. Avoid extreme heat. DO NOT USE WITH NITRIES AS CANCER CAUSING NITROSAMINES CAN BE FORMED.
- **10.6 Hazardous decomposition products:** Nitrogen oxides (NOx)
 Ammonia
 Carbon monoxide and carbon dioxide

11 Toxicological Information

· 11.1 Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

111-40-0 2,2'-iminodiethylamine

Oral LD50 1080 mg/kg (rat)

Dermal LD50 1090 mg/kg (rabbit)

112-57-2 3,6,9-triazaundecamethylenediamine

Dermal LD50 660 mg/kg (rabbit)

140-31-8 2-piperazin-1-ylethylamine

Oral LD50 2140 mg/kg (rat) Dermal LD50 880 mg/kg (rabbit)

80-05-7 bisphenol A

Oral LD50 3250 mg/kg (rat)

Dermal LD50 3000 mg/kg (rabbit)

· Primary irritant effect:

On the skin: Caustic effect on skin and mucous membranes.

On the eye: Strong caustic effect.

Sensitization: This product is considered a skin sensitizer and respiratory sensitizer.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful - Corrosive - Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Reproductive Toxicity Information: No information concerning the effects of this product and its components on the human reproductive system.

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

(Cont. from page 10)

12 Ecological Information

· 12.1 Toxicity

- · Aquatic toxicity:
- Component Information: 2,2'-iminodi(ethylamine) (DETA) 111-40-0 BOD 28 days < 60% Closed bottle test (OECD 301D)
- BOD 28 days < 60% Closed bottle
- Biodegradation 18% 90 days
- LC50 96 hr 175 -332 mg/l Pimephales promelas (fathead minnow)
- EC50 48 hr 16-65 mg/l Daphnia Magna
- LC50 48 hr 11-54 mg/l Daphnia Magna
- EC50 96 hr 346 mg/l Selenastrum Capricornutum
- EC50 16 hr > 5000 mg/l bacteria growth inhibition
- LC50 96 hr 100 mg/l Oncorhynchus mykiss
- EC50 72 hr > 400 mg/l algae
- 12.2 Persistence and degradability: Moderately /partly biodegradable
- 12.3 Bioaccumulative potential: No further relevant information available.
- \cdot 12.4 Mobility in soil: No further relevant information available.
- \cdot Ecotoxical effects: Harmful to aquatic organisims
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects: No further relevant information available

13 Disposal Considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of

Canada, Australia, EU Member States and Japan.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.
- · RCRA Waste Code: D002
- EU Waste Code: Not Listed

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

14 Transport Information 14.1 UN-Number UN2735 DOT, IMDG, IATA UN2735 ADR 14.2 UN proper shipping name Amines, Liquid, Corrosive, n.o.s.(Diethylenetriamine) DOT, IMDG, IATA 2735 Amines, Liquid, Corrosive, n.o.s.(Diethylenetriamine) ADR 14.3 Transport hazard class(es) DOT, ADR, IMDG, IATA **Class Corrosive** Class 8 Label 8 14.4 Packing group ш DOT. ADR. IMDG. IATA 14.5 Environmental hazards: Marine pollutant: This product contains ingredients that are classified as Dangerous Goods by the International Maritime Orginization, EmS F-A, S-B) Warning: Corrosive substances. 14.6 Special precautions for user 80 Danger code (Kemler): F-A.S-B **EMS Number:** 14.7 Transport in bulk according to Annex No data available II of MARPOL73/78 and the IBC Code · Transport/Additional information: E **Tunnel restriction code UN "Model Regulation":** UN2735, Amines, Liquid, Corrosive, n.o.s. (Diethylenetriamine), 8, III

15 Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA)

SARA: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows:

Section 355 (extremely hazardous substances): None of the ingredients are listed.

Section 313 (Specific toxic chemical listings): 80-05-7 / bisphenol A, Phenol, 4,4'- (1-methylethylidene)bis- 80-05-7 40 %

TSCA (Toxic Substances Control Act): All ingredients are listed.

(Cont. from page 11)

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

(Cont. from page 12)

Page 13

Proposition 65 (California):

Chemicals known to cause cancer or reproductive harm:

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

Chemicals known to cause developmental toxicity: None of the ingredients are listed.

· Carcinogenic Categories

EPA (Environmental Protection Agency): None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH): None of the ingredients is listed.

NIOSH-Ca(National Institute for Occupational Safety and Health): None of the ingredients is listed. OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients is listed.

Canada

Canadian Domestic Substances List (DSL): All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%): 111-40-0 2,2'-iminodiethylamine

Canadian Ingredient Disclosure list (limit 1%) Ingredients are listed as required.

112-57-2	3,6,9-triazaundecamethylenediamine
140-31-8	2-piperazin-1-ylethylamine
80-05-7	bisphenol A

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302: Harmful if swallowed.
- H312: Harmful in contact with skin.
- H314: Causes severe skin burns and eye damage.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H332: Harmful if inhaled.
- H335: May cause respiratory irritation.
- H361f: Suspected of damaging fertility.
- H411: Toxic to aquatic life with long lasting effects.
- H412: Harmful to aquatic life with long lasting effects

Printing date: 10/05/2015

Trade name: MP 600 Multi-Purpose TuffPatch Part B

R20/22: Harmful by inhalation and if swallowed. R21/22: Harmful in contact with skin and if swallowed. R34: Causes burns. R36/37/38: Irritating to eyes, respiratory system and skin. R37: Irritating to respiratory system. R41: Risk of serious damage to eyes. R43: May cause sensitisation by skin contact. R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52: Harmful to aquatic organisms. R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R62: Possible risk of impaired fertility. Abbreviations and Acronyms ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.

Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk of his use of the material for either Component A and/or B or the combination of both components

Tuff Industrial Products is a registered Trademark of Tuff Industrial Products, Inc.. Complies with Federal Standard No. 29 CFR 1910.1200

(Cont. from page 13)